



SHUN HING GROUP
信興集團
SINCE 1953

Sole agent for Greater China Region 大中華地區總代理：

Hong Kong & Macau 香港及澳門

SHUN HING ELECTRONIC TRADING CO., LTD.

信興電器貿易有限公司

Tel. 電話：(852) 2833 0955

Parts Sales Hotline 零件部熱線：(852) 2406 5555

Service Hotline 維修服務熱線：(852) 2406 5666

Beijing 北京

Tel. 電話：(86) 10-6518 3860

Shanghai 上海

Tel. 電話：(86) 21-6375 6051

Shenzhen 深圳

Tel. 電話：(86) 755-8207 0914

Authorized Dealer's Stamp 特約經銷商：

VINTEC 12-2014

 Printed with environmentally friendly ink on environmental paper.
此產品目錄以環保紙及墨印刷。



VINTEC
Wine Cabinet

WWW.VINTEC.HK

濕度 HUMIDITY

High humidity will cause molds whereas low humidity will cause corks to dry out. Vintec wine cellars are equipped with a system that recycles water from condensation, ensuring ideal humidity conditions for your wine.

濕度太高會造成發霉，過低則會令酒塞變乾。Vintec酒櫃配備之濕度調節系統可將凝結水份循環再用，確保為佳釀提供理想之濕度。



溫度 TEMPERATURE

All wines mature at the same temperature, which is a constant temperature set between 12°C to 14°C. Vintec presents a wide range of wine cellars offering single, dual and multi-temperature models to meet your cellaring needs.

長期儲存酒釀作陳年的最佳儲存溫度是攝氏十二至十四度。全線Vintec備有多種款式酒櫃，包括單、雙及多重恆溫選擇，滿足您的存酒需要。



防紫外線 UV PROTECTION

Light and UV rays rapidly destroy your wines by oxidising the tannins. Vintec wine cellars safeguard your fine wines from harmful light and UV rays with solid plain door or anti-UV treated glass door options.

Vintec酒櫃備有實門及防紫外線玻璃門選擇，確保您的佳釀免受光線/紫外線照射，防止酒中的單寧酸成份受氧化而破壞酒質。



防震 VIBRATION-FREE

Slow, balanced-cycle compressors and wooden shelves are equipped in the Vintec wine cellars, to reduce vibration to the minimum.

Vintec酒櫃採用低速平衡壓縮機和穩固木架，有效提供全面的防震功能。



天然通風 NATURAL VENTILATION

In order to prevent mould growth, which would generate bad odour and risk deteriorating the corks, Vintec provides a natural permanent ventilation, introducing renewed air from the ambience into the cellar through an "air circulation" effect.

Vintec酒櫃具有天然通風功能，其通風設計確保新鮮空氣能經通風口流進酒櫃，使櫃內空氣流通，以防止霉菌滋生、異味產生、甚至瓶塞腐壞等問題。



"I am totally delighted with my Vintec wine cabinet; it combines elegance and functionality of the highest order. Because it is surprisingly light, notwithstanding its size, it is easy to move should the need arise, and installing it is little more than plugging it into a conventional power outlet. The ability to have wines stored at two temperatures is extraordinary, allowing you to keep red wines at optimum temperatures for service throughout the summer, and - of course - white wines at a much lower temperature."

JAMES HALLIDAY
- Australian wine writer, critic & panelist

THE QUALITY OF THE MATERIALS, THE INNOVATIVE TECHNOLOGY AND THE CONTEMPORARY DESIGN MAKE VINTEC WINE CELLARS THE IDEAL SOLUTION FOR SAFEGUARDING YOUR PRECIOUS COLLECTION.

時尚設計的VINTEC酒櫃以創新科技和優質物料為您的佳釀提供完美的恆溫儲存環境。



made in Denmark 丹麥製造

V190SG2EBK | 120

NOIR

Borderless Black Glass



In-built LED Digital Display (located at top of inner compartment)
內置LED顯示 (置於酒櫃內格頂部)



Single / Multi Temperature Zone
for aging or serving purpose
單一或多重溫度適宜陳釀或品嚐美酒

ONE/MULTI



Borderless Black Glass Door
黑色無邊玻璃門



Eco Technology with Refrigerant R600a
環保科技配合環保雪種 R600a



Easily Adjustable Wooden Shelves
易拆式木層架



Reversible Door Hinge
可左右調換門鉸



3-sided Crystal White LED Lighting
三面白色LED燈照明



Integrated Lock
門鎖


• Carbon Filter
活性碳過濾網

• Monitor Alarm
故障警號

• Security Thermostat
冷凍安全恆溫器

• Shelves Compatible for Upright Presentation
木架適合作酒瓶垂直展示

Model 型號	V190SG2EBK
Capacity 容量	120 bottles 瓶
Adjustable temperature 可調校溫度	5°C-22°C
No. of wooden shelves 層架	6
Dimensions 體積 (H高 x W闊 x D深 mm毫米)	1850 x 595 x 595



Purple space area indicates
air ventilation
紫色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米

SEAMLESS
STAINLESS STEEL

BUILT
UNDER
嵌入式



SINGLE °C

Single Temperature Zone
for aging purpose
單一溫度適宜陳釀美酒



R600a

Eco Technology with
Refrigerant R600a
環保科技配合環保雪種 R600a



Blue LED Light

柔和藍色 LED 櫃燈

• Electronic Control
電子按鍵式控制

• LED Temperature Display
LED 溫度顯示屏

• Compressor System
壓縮機恆溫系統





Glass Door with Seamless
Stainless Steel Frame
玻璃門配無縫不銹鋼門框



Reversible
Door Hinge
可左右調換門鉸



Equipped with Lock
(Hexagonal Key)
配備門鎖 (六角匙)



Grey space indicates air ventilation 灰色部份是所需散熱空間
Measurement unit in mm 量度單位為毫米

Model 型號	V40SGES3
Capacity 容量	40 bottles 瓶
Adjustable temperature 可調校溫度	6°C-18°C
No. of wooden shelves 層架	5
Dimensions 體積 (H高 x W闊 x D深 mm毫米)	820 x 595 x 562

BUILT
UNDER
嵌入式



Equipped with 13 sliding wooden
shelves with stainless steel front
13 層滑動式不銹鋼飾面木架



DUAL °C

Dual Temperature Zone
for aging and serving purposes
雙重溫度適宜陳釀及品嘗美酒



Reversible
Door Hinge
可左右調換門鉸

• Electronic Control
電子按鍵式控制

• LED Temperature Display
LED 溫度顯示屏

• Compressor System
壓縮機恆溫系統



Glass Door with Seamless
Stainless Steel Frame
玻璃門配無縫不銹鋼門框



Blue LED Light
柔和藍色 LED 櫃燈




R600a

Eco Technology with
Refrigerant R600a
環保科技配合環保雪種 R600a



Equipped with Lock
(Hexagonal Key)
配備門鎖 (六角匙)

Model 型號	V155SG2ES3
Capacity 容量	138 bottles 瓶
Adjustable temperature 可調校溫度	upper 上格: 5°C-18°C lower 下格: 5°C-18°C
No. of wooden shelves 層架	14
Dimensions 體積 (H高 x W闊 x D深 mm毫米)	1762 x 595 x 680



Grey space indicates air ventilation 灰色部份是所需散熱空間
Measurement unit in mm 量度單位為毫米

allure SERIES

V150SG2EAL | 90



made in Denmark 丹麥製造

V190SG2EAL | 120



made in Denmark 丹麥製造

LED DIGITAL
DISPLAY
LED顯示



WOODEN
SHELVES
實木層架



CARBON
FILTER
活性碳過濾網



CRYSTAL WHITE
LED LIGHT
白光LED櫃燈



INTEGRATED
LOCK
門鎖



ONE/MULTI

Single / Multi Temperature Zone
for aging or serving purpose
可調校單一或多重溫度適宜陳釀或品嘗美酒



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種 R600a



Reversible
Door Hinge
可左右調換門鉸



Security
Thermostat
冷凍安全恆溫器



Monitor Alarm
故障警號




Child Lock
按鍵鎖



Double Layer Glass Door
雙層玻璃門

• Shelves Compatible for Upright Presentation
木架適合酒瓶垂直展示

Model 型號	V150SG2EAL	V190SG2EAL
Capacity 容量	90 bottles 瓶	120 bottles 瓶
Adjustable temperature 可調校溫度	5°C-22°C	5°C-22°C
No. of wooden shelves 層架	5	6
Dimensions 體積 (H高 x W闊 x D深 mm 毫米)	1550 x 595 x 595	1850 x 595 x 595



ALV30SGE | 32



Single Temperature Zone
for aging purpose
單一溫度適宜
陳釀美酒

SINGLE °C

ALV30SG2E | 32



Dual Temperature Zone
for aging and serving purposes
雙重溫度適宜
陳釀及品嘗美酒

DUAL °C



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種 R600a



Crystal White
LED Light
白光LED櫃燈



Double Layer
Glass Door
雙層玻璃門



Easily Adjustable
Wooden Shelves
易拆式木層架




Reversible
Door Hinge
可左右調換門鉸

• Electronic Control
電子按鍵式控制

• LED Temperature Display
LED溫度顯示屏

• Compressor System
壓縮機恆溫系統

Model 型號	ALV30SGE	ALV30SG2E
Capacity 容量	32 bottles 瓶	32 bottles 瓶
Adjustable temperature 可調校溫度	5°C-18°C	upper上格: 5°C-10°C lower下格: 10°C-18°C
No. of wooden shelves 層架	4	5
Dimensions 體積 (H高 x W闊 x D深 mm 毫米)	840 x 493 x 587	840 x 493 x 587



ALV40SGE | 40



Single Temperature Zone for aging purpose
單一溫度適宜
陳釀美酒

BUILT UNDER 嵌入式

ALV40SG2E | 40



Dual Temperature Zone for aging and serving purposes
雙重溫度適宜
陳釀及品嘗美酒



Eco Technology with Refrigerant R600a
環保科技配合環保雪種 R600a



Crystal White LED Light
白光 LED 櫃燈



Double Layer Glass Door
雙層玻璃門



Easily Adjustable Wooden Shelves
易拆式木層架






Reversible Door Hinge
可左右調換門鉸

• Electronic Control
電子按鍵式控制

• LED Temperature Display
LED 溫度顯示屏

• Compressor System
壓縮機恆溫系統

Model 型號	ALV40SGE	ALV40SG2E
Capacity 容量	40 bottles 瓶	40 bottles 瓶
Adjustable temperature 可調校溫度	5°C-18°C	upper 上格: 5°C-10°C lower 下格: 10°C-18°C
No. of wooden shelves 層架	5	4
Dimensions 體積 (H 高 x W 闊 x D 深 mm 毫米)	820 x 595 x 573	820 x 595 x 573



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米

Classic SERIES

V20SGE | 18



Single Temperature Zone for aging purpose
單一溫度
適宜陳釀美酒



Eco Technology with Refrigerant R600a
環保科技配合環保雪種 R600a



Double Layer Glass Door
雙層玻璃門




Crystal White LED Light
白光 LED 櫃燈

• Electronic Control
電子按鍵式控制
• Security Thermostat
冷凍安全恆溫器
• Reversible Door Hinge
可左右調換門鉸
• Compressor System
壓縮機恆溫系統

BUILT UNDER 嵌入式

Model 型號	V20SGE	V50SGE
Capacity 容量	18 bottles 瓶	48 bottles 瓶
Adjustable temperature 可調校溫度	5°C-18°C	5°C-18°C
No. of wooden shelves 層架	6	4
Dimensions 體積 (H 高 x W 闊 x D 深 mm 毫米)	810 x 300 x 600	890 x 605 x 600



V50SGE | 48



Single Temperature Zone for aging purpose
單一溫度
適宜陳釀美酒




Double Layer Glass Door
雙層玻璃門



Blue LED Light
藍光 LED 櫃燈

• Electronic Control
電子按鍵式控制
• Security Thermostat
冷凍安全恆溫器
• Reversible Door Hinge
可左右調換門鉸
• Compressor System
壓縮機恆溫系統

Grey space indicates air ventilation
灰色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米



V30SGMe 32



Single Temperature
Zone for
aging purpose
單一溫度
適宜陳釀美酒



Double Layer
Glass Door
雙層玻璃門



Reversible
Door Hinge
可左右調換門鉸

- Simple Electronic Regulation
精簡電子溫度調節
- Internal Light
內置櫃燈
- Compressor System
壓縮機恆溫系統

Model 型號	V30SGMe	V30SGE/S
Capacity 容量	32 bottles瓶	32 bottles瓶
Adjustable temperature 可調校溫度	5°C-18°C	5°C-18°C
No. of wooden shelves 層架	4	4
Dimensions 體積 (H高 x W闊 x D深 mm毫米)	830 x 493 x 590	840 x 493 x 587

V30SGE/S 32



Single Temperature
Zone for
aging purpose
單一溫度
適宜陳釀美酒




Double Layer
Glass Door
雙層玻璃門



Blue LED Light
藍光LED櫃燈

- Electronic Control
電子按鍵式控制
- Equipped with Lock
(Hexagonal Key)
配備門鎖(六角匙)
- Security Thermostat
冷凍安全恆溫器
- Reversible Door Hinge
可左右調換門鉸
- Compressor System
壓縮機恆溫系統

Grey space indicates air ventilation
灰色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米



2V160SP 120



Single Temperature
Zone for
aging purpose
單一溫度
適宜陳釀美酒



Carbon Filter
活性碳過濾網



Security Thermostat
冷凍安全恆溫器

- Mechanical Control
旋鈕式控制面板
- Internal Light
內置櫃燈
- Reversible Door Hinge
可左右調換門鉸
- Lock (Optional)
可另購門鎖
- Compressor System
壓縮機恆溫系統

Model 型號	2V160SP	2V160SGBL-2
Capacity 容量	120 bottles瓶	120 bottles瓶
Adjustable temperature 可調校溫度	6°C-16°C	6°C-16°C
No. of wooden shelves 層架	6	6
Dimensions 體積 (H高 x W闊 x D深 mm毫米)	1850 x 595 x 630	1850 x 595 x 595

2V160SGBL-2 120



Single Temperature
Zone for
aging purpose
單一溫度
適宜陳釀美酒




Crystal White LED Light
白光LED櫃燈



Carbon Filter
活性碳過濾網

- Double Layer Glass Door
雙層玻璃門
- Shelves Compatible for Upright Presentation
木架適合作酒瓶垂直展示
- Mechanical Control
旋鈕式控制面板
- Reversible Door Hinge
可左右調換門鉸
- Equipped with Lock
配備門鎖
- Security Thermostat
冷凍安全恆溫器
- Compressor System
壓縮機恆溫系統

Grey space indicates air ventilation
灰色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米



SPECIFICATIONS 規格

NOIR BORDERLESS BLACK GLASS DOOR	V190SG2EBK
Temperature Setting 溫度控制	Electronic電子按鍵式
LED Display LED 顯示	✓
Reversible Door Hinge 左 / 右門鉸*	✓
Built Under 嵌入式	—
Capacity 容量**	120 bottles 瓶
Adjustable Temperature 可調校溫度	5°C-22°C
No. of Wooden Shelves 層格	6
Dimensions 體積：H 高 x W 闊 x D 深 (mm 毫米)	1850 x 595 x 595
Weight 重量	83 kg 公斤

SEAMLESS STAINLESS STEEL	V40SGES3	V155SG2ES3
Temperature Setting 溫度控制	Electronic電子按鍵式	Electronic電子按鍵式
LED Display LED 顯示	✓	✓
Reversible Door Hinge 左 / 右門鉸*	✓	✓
Built Under 嵌入式	✓	✓
Capacity 容量**	40 bottles 瓶	138 bottles 瓶
Adjustable Temperature 可調校溫度	6°C-18°C	upper 上格: 5°C-18°C lower 下格: 5°C-18°C
No. of Wooden Shelves 層格	5	14
Dimensions 體積：H 高 x W 闊 x D 深 (mm 毫米)	820 x 595 x 562	1762 x 595 x 680
Weight 重量	44 kg 公斤	106 kg 公斤

ALLURE SERIES	ALV30SGE	ALV30SG2E	ALV40SGE	ALV40SG2E	V150SG2EAL	V190SG2EAL
Temperature Setting 溫度控制	Electronic電子按鍵式	Electronic電子按鍵式	Electronic電子按鍵式	Electronic電子按鍵式	Electronic電子按鍵式	Electronic電子按鍵式
LED Display LED 顯示	✓	✓	✓	✓	✓	✓
Reversible Door Hinge 左 / 右門鉸*	✓	✓	✓	✓	✓	✓
Built Under 嵌入式	—	—	✓	✓	—	—
Capacity 容量**	32 bottles 瓶	32 bottles 瓶	40 bottles 瓶	40 bottles 瓶	90 bottles 瓶	120 bottles 瓶
Adjustable Temperature 可調校溫度	5°C-18°C	upper 上格: 5°C-10°C lower 下格: 10°C-18°C	5°C-18°C	upper 上格: 5°C-10°C lower 下格: 10°C-18°C	5°C-22°C	5°C-22°C
No. of Wooden Shelves 層格	4	5	5	4	5	6
Dimensions 體積：H 高 x W 闊 x D 深 (mm 毫米)	840 x 493 x 587	840 x 493 x 587	820 x 595 x 573	820 x 595 x 573	1550 x 595 x 595	1850 x 595 x 595
Weight 重量	38 kg 公斤	44 kg 公斤	44 kg 公斤	48 kg 公斤	71 kg 公斤	83 kg 公斤

CLASSIC SERIES	V20SGE	V30SGMe	V30SGE/S	V50SGE	2V160SP	2V160SGBL-2
Temperature Setting 溫度控制	Electronic電子按鍵式	Simple Electronic 精簡按鍵	Electronic電子按鍵式	Electronic電子按鍵式	Mechanical 旋鈕式	Mechanical 旋鈕式
LED Display LED 顯示	✓	✓	✓	✓	✓	—
Reversible Door Hinge 左 / 右門鉸*	✓	✓	✓	✓	✓	✓
Built Under 嵌入式	✓	—	—	—	—	—
Capacity 容量**	18 bottles 瓶	32 bottles 瓶	32 bottles 瓶	48 bottles 瓶	120 bottles 瓶	120 bottles 瓶
Adjustable Temperature 可調校溫度	5°C-18°C	5°C-18°C	5°C-18°C	5°C-18°C	6°C-16°C	6°C-16°C
No. of Wooden Shelves 層格	6	4	4	4	6	6
Dimensions 體積：H 高 x W 闊 x D 深 (mm 毫米)	810 x 300 x 600	830 x 493 x 590	840 x 493 x 587	890 x 605 x 600	1850 x 595 x 630	1850 x 595 x 595
Weight 重量	28 kg 公斤	38 kg 公斤	38 kg 公斤	52 kg 公斤	58 kg 公斤	71 kg 公斤

*Preference of door hinge position (left/right) must be confirmed upon ordering.
*請於購買時選定門鉸位置(左/右)。

** Capacity is based on Bordeaux type bottle 0.75 litre and subject to the number of shelves and display pattern.
** 容量以波爾多種類 0.75 公升的酒瓶為準，並因應層架數目及擺放方法而異。

Actual colour may vary slightly from those shown.
實際顏色可能會有差異。

Condensation on glass door is a natural phenomenon, especially when there is high humidity or vast temperature difference.
當濕度高或溫差太大時，玻璃門上會出現水珠或霧氣，此乃正常現象。

For specific models, condensation will form on the back panel for humidity preservation. Please ensure wine bottles do not touch the back panel of the wine cabinet.
個別型號酒櫃背板會有水滴形成以保持櫃內濕度。存放葡萄酒時，避免酒瓶接觸到背板，以免沾濕標籤。

This catalogue is for reference only. The product information is subject to manufacturer specifications. 本產品目錄只供參考，資料已經過細心核對，如有錯漏，以廠方生產的規格為準。

The design and specifications of the products may be modified without prior notice. 本公司保留更改產品設計及規格之權利，恕不另行通知。

In case of any dispute, Shun Hing Electronic Trading Co., Ltd. reserves the right of final decision. 如有任何爭議，信興電器貿易有限公司保留最終決定權。